

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("2001/0030466").URPN.	USPAT	OR	OFF	2005/04/16 13:02
L4	5	("3486797" "3944285" "4445700" "5608376").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/16 13:02
L5	1	("5954151").URPN.	USPAT	OR	OFF	2005/04/16 13:02
L7	9	("2618971" "3093812" "3535679" "3597728" "3833094" "3984808").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/16 13:02
L8	5	("4151655").URPN.	USPAT	OR	OFF	2005/04/16 13:02
L9	8	("3979968" "4372625" "4812094" "5105554" "5490432" "5778553" "5856624" "6058767").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/16 13:03
L10	2	("6257078").URPN.	USPAT	OR	OFF	2005/04/16 13:03
L11	4	("3373300" "4063786" "5244287").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/16 13:03
L12	8	("5865543").URPN.	USPAT	OR	OFF	2005/04/16 13:03
L13	974	188/1.11R,1.11W,1.11L,1.11E. ccls. not (340/438-462,500.ccls. or 348/448,603,607.ccls. OR 303/122-122.15.ccls. or 180/170-179,271,282.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/16 14:41
L14	35	l13 and ("ABS" or ((antilock or "anti-lock") near2 brak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/16 14:41
L15	1005	384/448,603,607.ccls. not (340/438-462,500.ccls. or 303/122-122.15.ccls. or 180/170-179,271,282.ccls. or 188/1.11R,1.11W,1.11L,1.11E. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/16 14:46
L16	194	l15 and (wheel\$1 or tire\$1 or axle\$1) and ("ABS" or ((antilock or "anti-lock") near2 brak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/16 14:47
S1	95	((wheel\$1 or tire\$1 or axle\$1) same (lateral with (move\$4 or deviat\$3 or shift\$3 or travel\$3))) and bearing\$1 and ("ABS" or ((antilock or "anti-lock") near2 brak\$3)) and (engine or throttle or speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 10:10

S2	1	((wheel\$1 or tire\$1 or axle\$1) same (lateral with (move\$4 or deviat\$3 or shift\$3 or travel\$3))) and (unitized near2 bearing\$1) and ("ABS" or ((antilock or "anti-lock") near2 brak\$3)) and (engine or throttle or speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 09:56
S3	0	("2005/0011694").URPN.	USPAT	OR	OFF	2005/04/15 09:57
S4	796	((wheel\$1 or tire\$1 or axle\$1) and bearing\$1 and ("ABS" or ((antilock or "anti-lock") near2 brak\$3)) and (engine or throttle or speed) and (fault or error or warning)) not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 10:15
S6	165	(unitized near2 bearing\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 10:13
S7	96	(unitized near2 bearing\$1) and (wheel\$1 or tire\$1 or axle\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 10:14
S8	13	(unitized near2 bearing\$1) and (wheel\$1 or tire\$1 or axle\$1) and (fault or error or warning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 10:14
S9	85	((wheel\$1 or tire\$1 or axle\$1) and bearing\$1 and ("ABS" or ((antilock or "anti-lock") near2 brak\$3)) and (engine or throttle or speed) and (fault or error or warning) and ((sens\$3 or control\$3 or detect\$3 or determin\$3) with lateral)) not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 10:18
S10	83	S7 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 10:18
S11	1	"4179167".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:04
S12	2801	180/271,282.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:26

S13	68	180/271,282.ccls. and (wheel\$1 or tire\$1 or axle\$1) and ("ABS" or ((antilock or "anti-lock") near2 brak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:01
S14	146	180/271,282.ccls. and ((wheel\$1 or tire\$1 or axle\$1) same lateral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:08
S15	124	S14 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:08
S16	2632	180/170-179.ccls. not 180/271, 282.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:43
S17	70	S16 and (wheel\$1 or tire\$1 or axle\$1) and ("ABS" or ((antilock or "anti-lock") near2 brak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:27
S18	1049	303/122-122.15.ccls. not 180/170-179,271,282.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 15:03
S19	329	S18 and ("ABS" or ((antilock or "anti-lock") near2 brak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:44
S20	312	S19 and (wheel\$1 or tire\$1 or axle\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:45
S21	270	S20 and (sensor or fault or error or warning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:46
S22	15	S21 and bearing\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 13:47

S23	255	S21 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:08
S24	26142	bearing\$1 same seal\$1 same leak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:08
S25	6687	bearing\$1 with seal\$1 with leak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:09
S26	845	bearing\$1 near3 seal\$1 near3 leak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:08
S27	160	(bearing\$1 near3 seal\$1 near3 leak\$3) and (wheel\$1 or tire\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:25
S28	7772	(bearing\$1 with (wear\$3 or worn or fail\$3)) and (wheel\$1 or tire\$1) and (vehicle or car or automobile or truck or tractor or trailer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:26
S29	354	(bearing\$1 with (wear\$3 or worn or fail\$3) with (sens\$3 or detect\$3 or determin\$3 or measur\$3)) and (wheel\$1 or tire\$1) and (vehicle or car or automobile or truck or tractor or trailer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:33
S30	148	(bearing\$1 near5 (wear\$3 or worn or fail\$3) near5 (sens\$3 or detect\$3 or determin\$3 or measur\$3)) and (wheel\$1 or tire\$1) and (vehicle or car or automobile or truck or tractor or trailer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:37
S31	2	"6325124".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:49

S32	19	"wheel end" near2 (failure or condition or separation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 14:49
S33	9105	(340/438-462,500.ccls. or 348/448,603,607.ccls.) not (303/122-122.15.ccls. or 180/170-179,271,282.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/16 14:45
S34	373	S33 and (wheel\$1 or tire\$1 or axle\$1) and ("ABS" or ((antilock or "anti-lock") near2 brak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/16 14:46
S35	88	S34 and ((wear\$3 or worn or fail\$3) with (sens\$3 or detect\$3 or determin\$3 or measur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/16 14:47
S36	285	S34 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/15 15:21